



# Hemophilia Enrollment Form

Fax Referral To: 1-855-297-1270

Phone: 1-888-280-1190

Address: 280 Avenida Jesus T. Pinero Ste B Rio Piedras, PR 00927

NCPDP: 4026325

## Six Simple Steps to Submitting a Referral

### 1 PATIENT INFORMATION (Complete or include demographic sheet)

Patient Name: \_\_\_\_\_ DOB: \_\_\_\_\_ Gender:  Male  Female

Address: \_\_\_\_\_ City, State, ZIP Code: \_\_\_\_\_

Preferred Contact Methods:  Phone (to primary # provided below)  Text (to cell # provided below)  Email (to email provided below)

Note: Carrier charges may apply. By providing the phone number(s) and email address above, you are consenting to receive automated calls, emails and/or text messages from CVS Specialty® about your prescription(s), account, and health care. Standard data rates apply. Message frequency varies. If unable to contact via text or email, Specialty Pharmacy will attempt to contact by phone.

Primary Phone: \_\_\_\_\_ Alternate Phone: \_\_\_\_\_

Email: \_\_\_\_\_ Last Four of SSN: \_\_\_\_\_ Primary Language: \_\_\_\_\_

Parent/Caregiver/Legal Guardian Name (Last, First): \_\_\_\_\_ Relationship to patient: \_\_\_\_\_

### 2 PRESCRIBER INFORMATION

Prescriber's Name: \_\_\_\_\_ State License #: \_\_\_\_\_

NPI #: \_\_\_\_\_ DEA #: \_\_\_\_\_ Group or Hospital: \_\_\_\_\_

Address: \_\_\_\_\_ City, State, ZIP Code: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_ Contact Person: \_\_\_\_\_ Contact's Phone: \_\_\_\_\_

### 3 INSURANCE INFORMATION Please fax copy of prescription and insurance cards with this form, if available (front and back)

### 4 DIAGNOSIS AND CLINICAL INFORMATION

Needs by Date: \_\_\_\_\_ Ship to:  Patient  Office  Other: \_\_\_\_\_

#### Diagnosis (ICD-10):

- D66 Hereditary factor VIII deficiency  D67 Hereditary factor IX deficiency
- D68.0 Von Willebrand's disease  D68.311 Acquired hemophilia
- D68.318 Other hemorrhagic disorder due to intrinsic circulating anticoagulants, antibodies, or inhibitors
- D68.8 Other specified coagulation defects  D68.9 Coagulation defect, unspecified
- D68.2 Hereditary deficiency of other clotting factors
- Other Code: \_\_\_\_\_ Description: \_\_\_\_\_

#### Patient Clinical Information:

Allergies: \_\_\_\_\_ Height: \_\_\_\_\_ in/cm Weight: \_\_\_\_\_ lb/kg

#### Nursing:

Specialty pharmacy to coordinate injection training/home health nurse visit as necessary?  Yes  No

Site of Care:  MD office  Infusion Clinic  Outpatient Health  Home Health

Injection training not necessary. Date training occurred: \_\_\_\_\_

Reason:  MD office training patient  Pt already independent  Referred by MD to alternate trainer

### 5 PRESCRIPTION INFORMATION

| MEDICATION   | STRENGTH    | DOSE & DIRECTIONS   | QUANTITY/REFILLS  |
|--|-------------|---|---|
| <input type="checkbox"/> Advate <input type="checkbox"/> Feiba NF <input type="checkbox"/> Profilnine<br><input type="checkbox"/> Adynovate <input type="checkbox"/> Hemofil-M <input type="checkbox"/> Rebinyn<br><input type="checkbox"/> Afstyla <input type="checkbox"/> Humate-P <input type="checkbox"/> Recombinate<br><input type="checkbox"/> Alphanate <input type="checkbox"/> Idelvion <input type="checkbox"/> Rixubis<br><input type="checkbox"/> AlphaNine <input type="checkbox"/> Ixinity <input type="checkbox"/> Thrombate III<br><input type="checkbox"/> Alprolix <input type="checkbox"/> Jivi <input type="checkbox"/> Tretten<br><input type="checkbox"/> BeneFIX <input type="checkbox"/> Koate-DVI <input type="checkbox"/> Vonvendi<br><input type="checkbox"/> Coagadex <input type="checkbox"/> Kovaltry <input type="checkbox"/> Wilate<br><input type="checkbox"/> Corifact <input type="checkbox"/> Novoeight <input type="checkbox"/> Xyntha<br><input type="checkbox"/> Ceprotin <input type="checkbox"/> Nuwiq<br><input type="checkbox"/> Eloctate <input type="checkbox"/> Obizur | _____ IU/kg | <input type="checkbox"/> Prophylaxis: _____<br><input type="checkbox"/> On demand treatment:<br>Infuse _____ units (+/- 10%) slow IV push every _____ hours / days (circle one) for a total of _____ doses as needed for bleeding episodes. Contact your physician's office if bleeding does not resolve.<br><input type="checkbox"/> Minor Bleed: _____ IU IV q _____ hr PRN<br><input type="checkbox"/> Other: _____<br><br><input type="checkbox"/> Major Bleed: _____ IU IV q _____ hr PRN<br><input type="checkbox"/> Other: _____<br><br><input type="checkbox"/> Immune Tolerance: _____<br><br>Weight: _____ kg | Quantity:<br><input type="checkbox"/> 1 month<br><input type="checkbox"/> 3 months<br><input type="checkbox"/> Other: _____<br><br>Refills:<br><input type="checkbox"/> 1 year<br><input type="checkbox"/> Other: _____ |

### 6 PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

|  |  |
|--|--|
| "Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / DAW / May Not Substitute<br><b>Prescriber's Signature:</b> _____ <b>Date:</b> _____            | May Substitute / Product Selection Permitted / Substitution Permissible<br><b>Prescriber's Signature:</b> _____ <b>Date:</b> _____ |
| <b>CA, MA, NC &amp; PR:</b> Interchange is mandated unless Prescriber writes the words "No Substitution" <b>ATTN: New York and Iowa providers,</b> please submit electronic prescription |  |

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

# Hemophilia Enrollment Form

## Please Complete Patient and Prescriber Information

Patient Name: \_\_\_\_\_ Patient DOB: \_\_\_\_\_ Patient Phone: \_\_\_\_\_  
 Prescriber Name: \_\_\_\_\_ Prescriber Phone: \_\_\_\_\_

### 5 PRESCRIPTION INFORMATION

| MEDICATION                            | STRENGTH  | DOSE & DIRECTIONS   | QUANTITY/REFILLS  |
|---------------------------------------|---|---|---|
| <input type="checkbox"/> Amicar       | <input type="checkbox"/> Tablet 500 mg<br><input type="checkbox"/> Tablet 1,000 mg<br><input type="checkbox"/> Syrup 25%  | <input type="checkbox"/> Other: _____   | Quantity:<br><input type="checkbox"/> 1 month<br><input type="checkbox"/> 3 months<br><input type="checkbox"/> Other: _____<br>Refills:<br><input type="checkbox"/> 1 year<br><input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Altuviio     | <input type="checkbox"/> 50 IU/kg<br><input type="checkbox"/> ____ IU/kg  | <input type="checkbox"/> Prophylaxis: 50 IU/kg IV once weekly<br><input type="checkbox"/> On demand treatment: 50 IU/kg IV as needed for bleeding episodes. Contact your physician's office if bleeding does not resolve.<br><input type="checkbox"/> Other: _____<br>Weight: ____ kg   | Quantity:<br><input type="checkbox"/> 1 month<br><input type="checkbox"/> 3 months<br><input type="checkbox"/> Other: _____<br>Refills:<br><input type="checkbox"/> 1 year<br><input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Esperoct     | <input type="checkbox"/> ____ IU/kg   | <input type="checkbox"/> Prophylaxis: ____ IU/kg IV every ____ days or ____ times per week<br><input type="checkbox"/> On demand treatment: ____ IU/kg IV as needed for bleeding episodes. Contact your physician's office if bleeding does not resolve.<br><input type="checkbox"/> Other: _____<br>Weight: ____ kg  | Refills:<br><input type="checkbox"/> 1 year<br><input type="checkbox"/> Other: _____  |
| <input type="checkbox"/> Hemlibra     | <input type="checkbox"/> 12 mg/0.4 ml<br><input type="checkbox"/> 30 mg/mL<br><input type="checkbox"/> 60 mg/0.4 mL<br><input type="checkbox"/> 105 mg/0.7 mL<br><input type="checkbox"/> 150 mg/1 mL<br><input type="checkbox"/> 300 mg/2 ml | <input type="checkbox"/> Initial dose: 3 mg/kg subcutaneously once weekly for 4 weeks<br><input type="checkbox"/> Maintenance dose:<br><input type="checkbox"/> 1.5 mg/kg subcutaneously every week<br><input type="checkbox"/> 3 mg/kg subcutaneously every 2 weeks<br><input type="checkbox"/> 6 mg/kg subcutaneously every 4 weeks<br>Weight: ____ kg  | Quantity:<br><input type="checkbox"/> 1 month<br><input type="checkbox"/> 3 months<br><input type="checkbox"/> Other: _____<br>Refills:<br><input type="checkbox"/> 1 year<br><input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> NovoSeven RT | <input type="checkbox"/> ____ mcg/kg  | Infuse ____ mcg/kg slow IV push every ____ hours, and/or _____<br>Weight: ____ kg   | Quantity:<br><input type="checkbox"/> 1 month<br><input type="checkbox"/> 3 months<br><input type="checkbox"/> Other: _____<br>Refills:<br><input type="checkbox"/> 1 year<br><input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> SevenFact    | <input type="checkbox"/> 1 mg<br><input type="checkbox"/> 5 mg  | For Mild/Moderate bleeds:<br><input type="checkbox"/> 75 mcg/kg IV, repeat q 3 hours until hemostasis achieved or<br><input type="checkbox"/> Initial dose of 225 mcg/kg IV. May infuse 75 mcg/kg IV q 3 hours prn if hemostasis not achieved within 9 hours.<br>For Severe bleeds:<br><input type="checkbox"/> 225 mcg/kg IV, followed if necessary 6 hours later with 75 mcg/kg IV every 2 hours.<br><input type="checkbox"/> Other _____<br>Round to nearest whole vial. Weight: ____ kg | Quantity:<br><input type="checkbox"/> 1 month<br><input type="checkbox"/> 3 months<br><input type="checkbox"/> Other: _____<br>Refills:<br><input type="checkbox"/> 1 year<br><input type="checkbox"/> Other: _____ |

Patient is interested in patient support programs **STAMP SIGNATURE NOT ALLOWED** Ancillary supplies and kits provided as needed for administration

### 6 PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

|  |  |
|--|--|
| "Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / DAW / May Not Substitute<br><b>Prescriber's Signature:</b> _____ <b>Date:</b> _____                  | May Substitute / Product Selection Permitted / Substitution Permissible<br><b>Prescriber's Signature:</b> _____ <b>Date:</b> _____ |
| <b>CA, MA, NC &amp; PR:</b> Interchange is mandated unless Prescriber writes the words "No Substitution" _____ <b>ATTN: New York and Iowa providers,</b> please submit electronic prescription |  |

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

# Hemophilia Enrollment Form

## Please Complete Patient and Prescriber Information

Patient Name: \_\_\_\_\_ Patient DOB: \_\_\_\_\_ Patient Phone: \_\_\_\_\_

Prescriber Name: \_\_\_\_\_ Prescriber Phone: \_\_\_\_\_

### 5 PRESCRIPTION INFORMATION

| MEDICATION                       | STRENGTH                         | DOSE & DIRECTIONS   | QUANTITY/REFILLS  |
|----------------------------------|----------------------------------|---|---|
| <input type="checkbox"/> Stimate | <input type="checkbox"/> 150 mcg | <input type="checkbox"/> Weight <50 kg: Single spray in one nostril<br><input type="checkbox"/> Weight >50 kg: Single spray in each nostril (2 sprays total)<br><input type="checkbox"/> Other: _____ | Quantity:<br><input type="checkbox"/> 1 month<br><input type="checkbox"/> 3 months<br><input type="checkbox"/> Other: _____<br>Refills:<br><input type="checkbox"/> 1 year<br><input type="checkbox"/> Other: _____ |

## Nursing Medications

### 5 PRESCRIPTION INFORMATION

| MEDICATION                             | STRENGTH  | DOSE & DIRECTIONS   | QUANTITY/REFILLS   |
|--|---|---|--|
| <input type="checkbox"/> Normal Saline | Other: _____  | Access Device:<br><input type="checkbox"/> Port <input type="checkbox"/> PICC <input type="checkbox"/> PIV <input type="checkbox"/> Butterfly<br><input type="checkbox"/> Other: _____<br><input type="checkbox"/> _____ mL every _____ | Quantity:<br><input type="checkbox"/> 1 month<br><input type="checkbox"/> 3 months<br><input type="checkbox"/> Other: _____<br>Refills:<br><input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |
| <input type="checkbox"/> Heparin       | <input type="checkbox"/> 10 IU/mL<br><input type="checkbox"/> 100 IU/mL | Access Device:<br><input type="checkbox"/> Port <input type="checkbox"/> PICC <input type="checkbox"/> PIV <input type="checkbox"/> Butterfly<br><input type="checkbox"/> Other: _____<br><input type="checkbox"/> _____ mL every _____ | Quantity:<br><input type="checkbox"/> 1 month<br><input type="checkbox"/> 3 months<br><input type="checkbox"/> Other: _____<br>Refills:<br><input type="checkbox"/> 1 year <input type="checkbox"/> Other: _____ |

| MEDICATION/SUPPLIES   | ROUTE   | DOSE/STRENGTH/DIRECTIONS   | QUANTITY/REFILLS                  |
|---|---|--|-----------------------------------|
| Catheter<br><input type="checkbox"/> PIV <input type="checkbox"/> PORT<br><input type="checkbox"/> CVC/PICC | IV  | Catheter Care/Flush – Only on drug admin days – SASH or PRN to maintain IV access and patency<br>PIV: NS 5 mL (Heparin 10 units/ml 3-5 mL if multiple days)<br>CVC/PICC: NS 10 mL & <input type="checkbox"/> Heparin 10 u/mL or <input type="checkbox"/> 100 units/mL 3-5mL<br>PORT: 10 mL sterile saline to access PORT w/ huber needle<br>NS 10 mL & Heparin 100 units/mL 3-5 mL | Quantity: _____<br>Refills: _____ |
| <input type="checkbox"/> Diphenhydramine Oral   | PO  | <input type="checkbox"/> 12.25 mg/kg (0-30 kg)<br><input type="checkbox"/> 25 mg <input type="checkbox"/> 50 mg (Over 30 kg)   | Quantity: _____<br>Refills: _____ |
| <input type="checkbox"/> Diphenhydramine 50 mg/mL vial  | <input type="checkbox"/> Slow IV<br><input type="checkbox"/> IM | <input type="checkbox"/> 1 mg/kg (under 15 kg)<br><input type="checkbox"/> 12.5-50 mg (15-30 kg)<br><input type="checkbox"/> 25 mg <input type="checkbox"/> 50 mg (Over 30 kg)<br>May repeat in 3-5 minutes as needed (Max dose-50 mg)   | Quantity: _____<br>Refills: _____ |
| <input type="checkbox"/> Epinephrine<br>**nursing requires**  | <input type="checkbox"/> IM<br><input type="checkbox"/> SC      | <input type="checkbox"/> 1:1000, 0.3 mg/ 0.3 mL (greater than 30 kg/66lbs)<br><input type="checkbox"/> 1:1000, 0.15 mg/0.3 mL (15-30 kg/33-66lbs)<br><input type="checkbox"/> 1:1000, 0.01 mg/kg, Max 0.3 mg (under 15 kg)<br>Mild-Moderate Reactions. May repeat in 3-5 minutes as needed<br>For severe allergic reaction also call 911   | Quantity: _____<br>Refills: _____ |
| <input type="checkbox"/> Other: _____   | Other: _____  | Other: _____   | Quantity: _____<br>Refills: _____ |
| <input type="checkbox"/> Other: _____   | Other: _____  | Other: _____   | Quantity: _____<br>Refills: _____ |

Patient is interested in patient support programs **STAMP SIGNATURE NOT ALLOWED** Ancillary supplies and kits provided as needed for administration

### 6 PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

|  |  |
|--|--|
| "Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / DAW / May Not Substitute<br><b>Prescriber's Signature:</b> _____ <b>Date:</b> _____                  | May Substitute / Product Selection Permitted / Substitution Permissible<br><b>Prescriber's Signature:</b> _____ <b>Date:</b> _____ |
| <b>CA, MA, NC &amp; PR:</b> Interchange is mandated unless Prescriber writes the words "No Substitution" _____ <b>ATTN: New York and Iowa providers,</b> please submit electronic prescription |  |

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature. **CONFIDENTIALITY NOTICE:** This communication and any attachments may contain confidential and/or privileged information for the use of the designated recipients named above. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited. If you have received this communication in error, please notify the sender immediately by telephone and destroy all copies of this communication and any attachments. Plan member privacy is important to us. Our employees are trained regarding the appropriate way to handle members' private health information. This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Specialty and/or one of its affiliates.