## **Remicade/Remicade Biosimilars Enrollment Form**



Fax Referral To: 1-866-843-3221 Phone: 1-866-899-1661 Email Referral To: DL-NCCNEWREFERRAL@cvshealth.com



PATIENT INFORMATIO		limpte Steps to Submi lude demographic sh				
Patient Name:				Gender: 🗌	Male ☐ Fe	emale
Address:						
Preferred Contact Methods:						ded
below)						
Note: Carrier charges may apply						
automated calls, emails and/or	•					
rates apply. Message frequency						∍.
Primary Phone:			Alternate Phone:			
Email:		Last Four	of SSN: F	Primary Language:		
Parent/Caregiver/Legal Guardia	an Name (Last, Firs	t):	Relationship to pa	atient:		
2 PRESCRIBER INFORMA	ATION					
Prescriber's Name:			State License #			
NPI #: DEA #:	Group	or Hospital	0tate Electioe #			
Address: Fa		Contact Persor	·	Contact's Phone:		
Insurance Company:						
4 DIAGNOSIS AND CLINI	CAL INFORMA	TION				
Diagnosis (ICD-10):		_	-			
K50.00 Crohn's disease (CD	•	_	K51.90 Ulcerative c			
L40.0 Plaque psoriasis (PsO)			L40.50 Arthropathi			
M06.9 Rheumatoid arthritis			] M45.9 Ankylosing	spondylitis (AS)		
Other Code: Descri	iption					
Allergies:				kg Height:	∐ in ∐ cm	
Prior therapy, treatment dates,	and reason(s) for di	scontinuation:	<u> </u>			
Treatment status: New to the	erapy [ ] Continuat	tion of therapy; date o	of last treatment	//_Needs by a	ate:	
<b>Nursing and Administration</b>	<b>1</b> :					
First dose administration of mor		(mABs) should be ac	lministered in a cont	rolled setting (may va	rv dependina i	upon
medication specific policy).		(1111 120) 0110 010 00		round county (may va	, asperianty	дроп.
For Remicade/Remicade Biosi	imilars. the first do	se must be administ	ered in a controlled	l settina.		
Specialty pharmacy to coordina				_		
Site of Care: Home Infusion					r Infusion Clini	ic
*Home Infusion/Coram AIS: Dil	· · · · · · · · · · · · · · · · · · ·	•	—			
**Prescriber's Office/Other Infu	•		•			

## Remicade/Remicade Biosimilars Enrollment Form

	P	ease Complete Patient, Prescriber	and Patient Clinical Information	
Patient Name:		Patient DOB:		
Prescriber Name: _			Prescriber Phone:	
<u>Patient Clinical Inf</u>	<u>formation:</u>	_		
Allergies:			🗌 lb 🗌 kg Height:_	
• • •		d reason(s) for discontinuation:		
		py $\square$ Continuation of therapy; date		eeds by date:
		ON Ship to: Patient Office		
<b>MEDICATION</b>	STRENGTH	DOSE & DIF	RECTIONS	QUANTITY/REFILLS
		AS Induction Dose:		Quantity: (# of vials)
		Infuse IV at 5 mg/kg (Dose =m	ng) at weeks 0, 2, 6 and every	Refills: 0
		6 weeks thereafter		
		AS Maintenance Dose:		Quantity: (# of vials)
		Infuse IV at 5 mg/kg (Dose =mg		Refills:
☐ Avsola		☐ CD (Adult and Pediatric ≥ 6 year		Quantity: (# of vials)
		Infuse IV at 5 mg/kg (Dose =	mg) at weeks 0, 2, 6 and every	Refills: 0
		8 weeks thereafter		O
☐ Inflectra		CD (Adult) Maintenance Dose:	mag) avama Quua alsa	Quantity: (# of vials)
		Infuse IV at 5-10 mg/kg (Dose =		Refills: (# of viols)
☐ Infliximab		☐ CD (Pediatric ≥ 6 years old) Mair Infuse IV at 5 mg/kg (Dose =		Quantity: (# of vials) Refills:
	100 mg vial	PsO/PsA Induction Dose:	ing/ every 8 weeks	Quantity: (# of vials)
		Infuse IV at 5 mg/kg (Dose =	ma) at weeks 0.2.6 and every	Refills: 0
Remicade		8 weeks thereafter	ing/ at weeks 0, 2, 0 and every	Kemis. 0
		PsO/PsA Maintenance Dose:		Quantity: (# of vials)
		Infuse IV at 5 mg/kg (Dose =	ma) everv 8 weeks	Refills:
Renflexis		RA Induction Dose:		Quantity: (# of vials)
		Infuse IV at 3 mg/kg (Dose =r	ng) at weeks 0, 2, 6 and every	Refills: 0
		8 weeks thereafter		
		RA Maintenance Dose:		Quantity: (# of vials)
		Infuse IV at 3-10 mg/kg (Dose =	mg) every 4, 6 or 8 weeks	Refills:
		(circle one)		
		UC (Adult and Pediatric ≥ 6 year		Quantity: (# of vials)
		Infuse IV at 5 mg/kg (Dose =	_mg) at weeks 0, 2, 6 and every	Refills: 0
		8 weeks thereafter	1004	0 (# 5 . 1 )
		UC (Adult and Pediatric ≥ 6 year	Quantity: (# of vials)	
		Infuse IV at 5 mg/kg (Dose =	mg) every 8 weeks	Refills:
Othow				Quantity: (# of vials)
Other:				Refills:
PRESCRIBER	RSIGNATURE	REQUIRED (STAMP SIGNAT	TURE NOT ALLOWED)	
		essary / Do Not Substitute / No Substitution /	May Substitute / Product Selection Permitt	red /
DAW / May Not Substi	tute	·	Substitution Permissible	
Prescriber's Sign	nature:	Date:	Prescriber's Signature:	Date:

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

## Remicade/Remicade Biosimilars Enrollment Form Nursing Orders

Patient Name:		Complete Patient, Prescriber and Patient DOB:	Patient Phone: _	
rescriber Name:			Prescriber Phone:	
PRESCRIPTION IN	<b>FORMATIO</b>	N **ITEMS BELOW THIS LINE W	ILL ONLY BE SENT FOR INFUSIONS DON	NE AT HOME/CORAM AIS**
MEDICATION/SUPPLIES	ROUTE		ENGTH/ DIRECTIONS	QUANTITY/REFILLS
Catheter:  PIV PORT  CVC/PICC	IV	maintain IV access and patence PIV: NS 5 mL (Heparin 10 units.	s/mL 3-5 mL if multiple days) eparin 10 units/mL or  100 units/mL access PORT w/ huber needle	Quantity: Refills:
Hydration: ☐ NS ☐ D5W	IV	Pre: ☐ 500 mL ☐ 1000 mL ☐ Other: Concurrent: ☐ 500 mL ☐ 1000 mL ☐ Other: Post: ☐ 500 mL ☐ 1000 mL ☐ Other:		Hydration max infusion rate mL/hr (Adult max rate 250 mL/hr unless otherwise indicated)
☐ Epinephrine **nursing requires**	□ IM □ SC	☐ 1:1000, 0.3mg/0.3 mL (greater than 30 kg/66 lbs) ☐ 1:1000, 0.15mg/0.3 mL (15-30 kg/33-66 lbs) ☐ 1:1000, 0.1 mg/kg, Max 0.3mg (under 15kg) Mild-Moderate Reactions. May repeat in 3-5 minutes as needed for severe allergic reaction, also call 911		Quantity: Refills:
Diphenhydramine Oral	РО	Premedication:  ☐ 12.5 mg/kg (0-30 kg) ☐ 25 mg ☐ 50 mg (Over 30 kg)		Quantity: Refills:
☐ Diphenhydramine 50 mg/mL vial **nursing required**	Slow IV	1 mg/kg (under 15 kg) 12.5 mg-50 mg (15-30 kg) 25 mg-50 mg (Over 30 kg) If mild/moderate reaction: may repeat in 3-5 minutes as needed (Adult max dose: 100 mg/day) If severe allergic reaction: call 911		Quantity: Refills:
☐ Flush Orders:	Peripheral Access Central Venous Access	☐ 10 mL NS post flush ☐ 50 mL NS post flush to clear medication from tubing (recommended if no post-hydration)☐ Other:		Send quantity sufficient for medication days supply
Additional Medication:				
☐ Patient is interested in patient supplements of PRESCRIBER SIGN		STAMP SIGNATURE NOT ALLOWED  OUIRED (STAMP SIGNAT	, , ,	provided as needed for administratio
	Medically Necessary / I	/ Do Not Substitute / No Substitution /	May Substitute / Product Selection Permitted / Substitution Permissible  Prescriber's Signature:	Date:

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

CONFIDENTIALITY NOTICE: This communication and any attachments may contain confidential and/or privileged information for the use of the designated recipients named above. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited. If you have received this communication in error, please notify the sender immediately by telephone and destroy all copies of this communication and any attachments. Plan member privacy is important to us. Our employees are trained regarding the appropriate way to handle members' private health information.

This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Specialty and/or one of its

This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Specialty and/or one of its affiliates.